

NEWLINE

Aluminum Windows and Doors

We seek to have long term
partnership with

YOU

NLBM[®]

Cellphone: +8616620025867
(Wechat/Whatsapp)
Telephone: +86(20)86047020
E: hongyu0701@hotmail.com
www.newlinedoor.cn
www.newlinedoor.com
ADD: No.88 Yuanxia middle Street, Longgui,
Bayun District, Guangzhou, China

NEWLINE BUILDING MATERIALS LIMITED



120 Heavy duty sliding doors series
120 重型推拉门系列



结构特征


- 门框采用三腔设计，刚性强，独立的排水腔，保证任何情况下都能排水顺畅。
- 门框导向槽分体结构，有效防止户外撬开，防盗性能高。
- 可实现单轨、双轨、三轨推拉功能。

Three-chamber design of the door frame, rigid strong, independent of the drainage cavity, to ensure that in any case, can be drained smoothly.

The doorframe oriented slot sub-structure, effectively prevents forced open the outdoor, high-performance anti-theft.

Can achieve single-track, double track, rail sliding function.

基本门型 Basic type of door





精湛的工艺于细节处流露着高贵与优雅。流动的线条和素淡的色泽，给人柔和的感受之外，增添了一种弦外有声、音韵悠扬的韵律美感。生活始终有一种不为所动的美。

Craftsmanship in the details revealed at the noble and elegant, flowing lines and Eau color, giving the feeling of harmony, adding to a string outside the sound, the rhythm of phonological melodious beauty. Life there is always a beauty unmoved.



75 Heavy duty folding doors series

75 重重大折叠门系列




结构特征

- 门扇折叠时，平齐于垂直面上，简洁明快。
- 能 100% 全开启，全面通风，极景观观。
- 全隐式勾企设计，开启面积大，通风效果好，外观简洁明快。
- 框扇搭接位置采用三层胶条密封，防水及隔音性最佳。
- 门框、门扇全部采用 45 度角连接，牢固安全、美观大方。


The doors fold flush with the vertical plane, a simple and neat. Can be 100% wide open, full ventilation, first landscape. Fully implicit hook enterprises design, large open area, good ventilation, a simple and neat appearance. Box fan lap position using the three-strip seal, waterproof and noise best. Door frames, doors are all 45-degree angle connection firm and safe, beautiful.



折叠门扇连接件 Folding Door Structures



半开启状态 Semi-open state



完全开启状态 Fully open state



合页



下滑轮



上滑轮



好维标准扶手




锁



好维扶手





人生的精彩源于细节，
细节成就品位，造就气质格调。
一块玻璃，一枚把手，一缕阳光，一片绿意，
都是你所喜爱的。
你追求最好的，生活就给你最好的犒赏，一切尽在掌握。

Wonderful life from the details.
The details of the achievements of taste, creating a temperament style.
A glass, a handle, a ray of sunshine, a Greenview,
Are your favorite.
You pursue the best life will give you the best reward for everything under control.

55 Thermal break casement window series

55 断桥平开窗系列

- 隔热型材，保温节能；
- 三腔结构，强度高，隔音好；
- 欧洲标准五金槽口，可装配多点锁；
- 外开结构，设定三级开启角度（150、400、650）；
- 扇开双腔硅橡胶密封胶条，无接驳双重密封；
- 优越的通风性，自然流通，为人们创造出舒适的居住环境。


Heat insulation type material, the heat preservation economizes on energy.
Three chamber structure, the strength is high and soundproof like.
Is European standard hardware slot, can assemble to order more lock.
Outside open structure, set s-rated open angle (150, 400, 650).
Opens a pair of chambers Huo oak to seal completely gum and seals completely without the dual connection.
The airiness that is superior circulates naturally and creates a living environment of comfort for people.





当阳光的热情穿越城市的万千屏障，悄然绽放，与您相约，诠释着绽放内涵。而精彩一定值得期待，留下感念的情怀，喧哗中最昂贵的是自然的宁静，在繁华的世界里，这是极简的享受。

When the warm sun through the city's thousands of barriers, quietly blooming, meet you, the interpretation of bloom content. And certainly wonderful to look forward to. Feelings of gratitude left, noise is the most expensive natural quiet in the heart of the world, which is minimalist to enjoy.





蕴含散文诗的情和含蓄，流露出小夜曲的舒缓和流畅。平淡的精彩，低调的华丽。方与圆，直与曲，交错与呼应，搭配与点缀，都在倾情诉说。

Contain the sentiment of prose poem and reserved, show unintentionally serenade of slow and flowing freely. Is mild fascinating, low-key pomp. Square and circle, keep and song, interleave with act in cooperation, match and embellish, all tell in the Qing feeling.



55 Casement window series

55 平开窗系列

- 清晰明亮的外观。优异的结构设计，别致细腻；
- 配置 5+6A+5 和 5+9A+5 双面钢化中空玻璃，隔音、安全性能更佳。中空配置可搭配格条装饰；
- 令整体效果脱离单调单一，样式多变；
- 欧洲标准槽口设计。内窗料采用整合式设计，将压条和门窗融为一体。设置传声条和扶手传动构件，外设离合式执手，根据需要可设置多点锁，合页式传动轴，开启角度 0° - 90° ，点式风撑定位，抗风性能好。
- 外框和内扇之间采用等压、减压原理，内设三元乙丙 (EPDM) 密封胶条，具隔音、隔热、防水、气密性能更佳。

The external appearance of clear brightness. Excellent structure design, unique delicate:
Install 5+6 A+5 with 5+9 A+5 two-sided steels turn hollow glass, the soundproof and safe function is better. The hollow allocation can match space to decorate, it escape from monotone the whole effect single, the style changes more;

Standard European slot design, inside anticipates an adoption integration type design and merge into an integral whole layaring and doors and windows inside establishing to conduct and keeping to spread to reach a piece and outside establish to leave a match type to keep a hand, can establish to order more lock according to needing and match a page type to spread stalk and open angle 0° - 90° . the point type breeze supports a fixed position, anti- breeze function good.

Outline and inside adoption etc. of press, decompression principle, inside establish J dollars B C(EPDM) to seal completely gum, its soundproof, heat insulation, waterlighthness, annoy airtight function better.



透过这扇窗，你会看到另一片天地；
走过这道门，你会登上另一座高峰。

Through this window, you will see another piece of heaven and earth;
Through this door, you will board the other peaks.





96Thermal bread swing door series

96 断桥平开门系列

- 高强度铝合金结构，防水防潮，使用寿命长，门框及门框45度球角设计，加强型角码连接，既美观又强度高。
- 不锈钢合页，不生锈，强度高，坚固耐用。
- 适用于卫生间、厨房。

1. The high-strength aluminium structure is waterproof and durable Door panel and frame are connected in 45 degree by enhanced join corner, that looks beautiful and has high strength.
2. Stainless steel hinge, nonstaining, high strength, solid and durable.
- 3 Suitable for toilet and kitchen.



37

少了些华丽，多了些简洁；少了些炫耀，多了些自醒；少了些开天辟地，多了些实用功能，增添余余的装饰；让流畅几何形体呈现雕塑的美感，细腻品质材料与空白的质感，生活，本该需要一些仪式感。

Is little some gorgeous, many some simple and direct, little some show, many some self-made, to fine some have fantastic idea, many some practical functions, fine out sophisticated adornment, Let several flowing freely what the body present to carve of beauty, Small and soft personal status material and the texture of space, Life needs a little creativity.



这是一个追求时尚，体现个性的时代，能够突出风格与品味，整个设计定位在简约、明畅的基础上，注入华贵气息。简约是生活的形式，快乐是生活的原则，幸福是生活的内容，享受是生活的本质，期待与激励的视觉震撼中唤醒了一生挚爱的心情。

This is one to pursue vogue, embodiment personality of ages, can outstanding style and tasty, whole design a fixed position to infuse into stylish breathing at Jian Yue, in the foundation of clear Chang, Chien about is a living form, the happiness is living principle, happiness is a living contents, enjoys is living essence, expectation with arouse more of wake the mood of whole life devotion up in the sense of vision vibration.

38



Lock accessories
锁具 配件



HOPO 加长执手



德国 丝吉利娅执手




德国 诺托锁具



德国 诺托锁具



德国 丝吉利娅执手



折叠门专用锁



标准加长执手



HOPO 加长执手



银色纽西兰大把手



金色纽西兰大把手



黑色暗扣锁



银色暗扣锁














大滑轮两轮



大滑轮四轮

European -style casement
windows basic structure
欧式平开窗基本结构



135°转角窗台



弯弧型窗台



90°转角窗台



拼接弯弧型窗台

Wood Pattern Heat Transfer Film

木纹热转印膜

木纹热转印型材不仅美观，而且耐腐蚀性。先进的技术、过硬的质量以及优异的产品性能，使其在市场上备受推崇，特别是在注重环保、节能的现代装饰市场上，也是一种潮流，一种品位。

Wood pattern finishing is nice and durable. The advanced technology provides a wood styling without cut any trees. It is green environment product and become trendy.



樱桃木 / Cherry



金橡木 / Golden Oak



白色 / White



澳洲红木 / Redwood Australia



砂面红檀 / San Red Sanalwood



砂灰 / Gray Sand




Contents


目录

阳光房系列 Sunlight building series	01-04
铝木复合门窗系列 Aluminum-wood composite window and door series	05-06
180 重型推拉门系列 180 Heavy duty sliding doors series	07-12
120 重型推拉门系列 120 Heavy duty sliding doors series	13-18
75 重型大折窗系列 75 Heavy duty folding doors series	19-24
55 断桥平开窗系列 55 Thermal break casement windows series	25-30
55 平开窗系列 55 Casement windows series	31-36
96 断桥平开门系列 96 Thermal break swing door series	37-38
经典工程案例 Classic engineering case	39-40
锁具 配件 Lock accessories	41-42







带美丽造型的日光房
Stitches with a roof angle of the sun room




带双坡屋顶的日光房
Stitches with double roof of the sun room



带于角度的日光房
(Location) in the heating exterior angle of the sun room



带于房屋外角日光房
Exterior angle of the sun room to the house




带倾斜屋顶的日光房
Sun room with a sloping roof

Sunlight building series
阳光房系列

阳光房造型新颖，设计美观大方，构造安全，全面支持任意角度的平面及立面直线及弧形转角，能满足各种特造型的设计要求，采用结构胶键密封不渗漏，根据客户要求，通过采用钢化、夹胶、中空、LOW-E、镀膜等各类特种玻璃，具有优越的保温隔热性，防紫外线等性能。将功能性与美观性完美结合。


Sunlight building the shape is novel, design beauty generous, construct a safety, overall support arbitrarily the flat surface of angle and sign noodies straight line and arc-shaped to turn Cape, can satisfy various especially the design request of shape, adopt structure gum to ensure to seal completely not seep into, request and pass to adopt a steel to turn, clip gum according to the customer, hollow, LOW-E, Du chrome etc. is each kind of special kind glass, have superior heat preservation heat insulation, defend functions like ultraviolet ray, etc. Be perfect to combine function and beauty.





无论多么微不足道的细节，也必须能达成与整体的一致。在艺术空间内，每一件事物都在升华为艺术品，可堪珍藏。

No matter how insignificant detail, have to can also reach with whole of consistent. in the art space, each thing is sublimating for the art object, may collect as treasure.



Aluminium-wood composite window and door series

铝木复合门窗系列



分子筛
中空玻璃
铝型材框扇
玻璃密封胶
玻璃垫片
木质型材
排水孔
密封胶
木质型材

- 清晰明亮的外观，优异的结构设计，别致细腻。
- 室内实木，温暖舒适。结合专业水性漆工艺，环保生态，色泽柔和，历久弥新；
- 室外壁实彩铝，扎实耐用；表面采用阿克苏诺贝尔粉末涂层，多色可选，耐候耐用。
- 外框和内扇之间采用等压原理，内设三元乙丙（EPDM）密封胶条，其隔音、隔热、防水、气密性能更佳。
- 配置中空钢化玻璃，中空位置可搭配格条装饰、手动或智能百叶系统，能够有效减低声波的共振效应，具有良好的隔音效果，并能阻止热量的传递，防潮防霉露。
- 采用内外锁式设计，轻松开启，经久耐用。

1. the external appearance of clear brightness, excellent structure design, unique delicate.
2. indoor solid wood. Warm and comfortable. combine professional water paint craft. environmental protection ecosystem, the color and luster is soft smooth, newer with time;
3. the outdoors Be solid to adapt aluminium, firm enduring. Surface adoption gum Nobel powder Tri-Cong of Su, many colors can choose and bear to wet, Jing beautiful.
4. outline and inside of adoption etc. decompression principle, inside establish (EPDM) to seal completely gum, its soundproof, heat insulation, watertightness, annoy air-tight function better.
5. install a hollow steel to turn glass, this hollow position can match space the attachment, hand move or intelligence thermostat system, can effectively turn down a resonance effect of warm, have good soundproof effect, and can obstruct delivering of calories, keep tide from depending frost dew.
6. adoption inside outside lock type design, easily open, through long enduring.

180 Heavy duty sliding doors series

180 重型推拉门系列



结构特征

- 门扇截面宽大，适合最大门扇，最大采光门型使用。
- 强度高、隔音好。
- 门扇、导轨分体混装结构，防撬防盗，安全可靠。
- 通过执手控制，门扇可稳固停留于导轨任意位置上。
- 防止儿童嬉戏，门扇滑动面发生意外，高度安全。
- 关闭时，利用门扇的自重下沉力，将置于门扇上下两端的密封胶条紧紧地压向门框，是目前世界上密封最佳的推拉门。

1. The section of door panel is large, suitable for the door type with large size and lighting.
2. High strength, noise reduction.
3. The panel and sliding rail are assembled mixedly with security.
4. Controlled by handle, the panel can stop in the any position on sliding rail to prevent sudden sliding. It's safety design.
- 5 When door is closed, the weight of panel can make its sealing adhesive tape of upper and lower side press tightly to the frame. Noise reduction performance is excellent.

基本门型 Basic type of door

